



























































World Health Organization (WHO), Fact Sheet: HIV/AIDS. 6 July 2020b. <https://www.who.int/news-room/fact-sheets/detail/hiv-aids>. Accessed 14 March 2021.

World Health Organization (WHO), Fact Sheet: sexually transmitted infections (STIs). 14 June 2019. [https://www.who.int/news-room/fact-sheets/detail/sexually-transmitted-infections-\(stis\)](https://www.who.int/news-room/fact-sheets/detail/sexually-transmitted-infections-(stis)) Accessed 14 March 2021.

World Health Organization Department of Reproductive Health and Research (WHO/RHR) and Johns Hopkins Bloomberg School of Public Health/Center for Communication Programs (CCP), Family planning: a global handbook for providers (2018 update). 2018, Baltimore and Geneva: WHO and CCP. 442.

Yotebieng M, Turner AN, Hoke TH, Van Damme K, Rasolofomanana JR, Behets F. Effect of consistent condom use on 6-month prevalence of bacterial vaginosis varies by baseline BV status. *Trop Med Int Health*. 2009; 14(4): 480-6. doi: 10.1111/j.1365-3156.2009.02235.x.

## 11 Revision history

SSCP revision number	Date Issued	Change description	Revision validated by the Notified Body
V1	May 2023	SSCP has been prepared as new requirement for class III devices under Medical Device Regulation. This SSCP refers to NRL condoms with silicone lubricant and benzocaine manufactured by Reckitt.	[No] Validation language: English